



## MATERIAL SAFETY DATA SHEET

---

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

---

**Occidental Chemical Corporation**

**5005 LBJ Freeway**

**P.O. Box 809050**

**Dallas, Texas 75380-9050**

**24 HOUR EMERGENCY TELEPHONE:**

**1-800-733-3665 or 1-972-404-3228 (U.S.);**

**32.3.575.55.55 (Europe);**

**1800-033-111 (Australia)**

**TO REQUEST AN MSDS:**

**MSDS@oxy.com or 1-972-404-3245**

**CUSTOMER SERVICE:**

**1-800-752-5151 or 1-972-404-3700**

**MSDS NUMBER:** M31866

**SUBSTANCE: CAUSTIC POTASH LIQUID (ALL GRADES)**

**TRADE NAMES:**

Caustic Potash Commercial Grade 10%, 25%, 30%, 35%, 40%, 45%, 48%, 50%; Caustic Potash Industrial Grade 45%, 50%; Caustic Potash Membrane Dilute Solution 45%, 48%, 50%; Caustic Potash Liquid (10-40% Solution)

**SYNONYMS:**

KOH, liquid potash

**PRODUCT USE:** glass manufacture, cleaner, process chemical, petroleum industry

**REVISION DATE:** Jun 20 2006

---

### 2. HAZARDS IDENTIFICATION

---

**NFPA RATINGS (SCALE 0-4):** HEALTH=3 FIRE=0 REACTIVITY=1

**HMS RATINGS (SCALE 0-4):** HEALTH=3 FLAMMABILITY=0 REACTIVITY=1

**EMERGENCY OVERVIEW:****COLOR:** colorless**PHYSICAL FORM:** liquid**ODOR:** odorless**SIGNAL WORD:** DANGER**MAJOR HEALTH HAZARDS:** CORROSIVE. CAUSES BURNS TO THE RESPIRATORY TRACT, SKIN, EYES AND GASTROINTESTINAL TRACT. CAUSES PERMANENT EYE DAMAGE.**PHYSICAL HAZARDS:** Mixing with water, acid or incompatible materials may cause splattering and release of heat.**ECOLOGICAL HAZARDS:** This material has exhibited moderate toxicity to aquatic organisms.**PRECAUTIONARY STATEMENTS:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor or mist. Keep container tightly closed. Wash thoroughly after handling. Use only with adequate ventilation.**POTENTIAL HEALTH EFFECTS:****INHALATION:****SHORT TERM EXPOSURE:** irritation (possibly severe), burns, pulmonary edema**LONG TERM EXPOSURE:** to our knowledge, no effects are known**SKIN CONTACT:****SHORT TERM EXPOSURE:** irritation (possibly severe), burns**LONG TERM EXPOSURE:** dermatitis**EYE CONTACT:****SHORT TERM EXPOSURE:** irritation (possibly severe), burns, eye damage, blindness**LONG TERM EXPOSURE:** visual disturbances**INGESTION:****SHORT TERM EXPOSURE:** irritation (possibly severe), burns, nausea, vomiting**LONG TERM EXPOSURE:** to our knowledge, no effects are known**CARCINOGEN STATUS:****OSHA:** No**NTP:** No**IARC:** No

---

**3. COMPOSITION, INFORMATION ON INGREDIENTS**

---

**COMPONENT:** WATER**CAS NUMBER:** 7732-18-5**PERCENTAGE:** 49-90**COMPONENT:** POTASSIUM HYDROXIDE**CAS NUMBER:** 1310-58-3**PERCENTAGE:** 10-51

---

**4. FIRST AID MEASURES**

---

**INHALATION:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. If respiration or pulse has stopped, have a trained person administer Basic Life Support (Cardio-Pulmonary Resuscitation/Automatic External Defibrillator) and CALL FOR EMERGENCY SERVICES IMMEDIATELY.

**SKIN CONTACT:** Immediately flush contaminated areas with water. Remove contaminated clothing, jewelry, and shoes immediately. Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Discard contaminated leather goods. GET MEDICAL ATTENTION IMMEDIATELY.

**EYE CONTACT:** Immediately flush eyes with a directed stream of water for at least 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissues. Washing eyes within several seconds is essential to achieve maximum effectiveness. GET MEDICAL ATTENTION IMMEDIATELY.

**INGESTION:** Never give anything by mouth to an unconscious or convulsive person. If swallowed, do not induce vomiting. Give large amounts of water. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. GET MEDICAL ATTENTION IMMEDIATELY.

**NOTE TO PHYSICIAN:** The absence of visible signs or symptoms of burns does NOT reliably exclude the presence of actual tissue damage. Probable mucosal damage may contraindicate the use of gastric lavage.

---

## 5. FIRE FIGHTING MEASURES

---

**FIRE AND EXPLOSION HAZARDS:** Negligible fire hazard.

**EXTINGUISHING MEDIA:** Use extinguishing agents appropriate for surrounding fire.

**FIRE FIGHTING:** Move container from fire area if it can be done without risk. Cool containers with water. Wear NIOSH approved positive-pressure self-contained breathing apparatus. Avoid contact with skin.

**SENSITIVITY TO MECHANICAL IMPACT:** Not sensitive

**SENSITIVITY TO STATIC DISCHARGE:** Not sensitive

**FLASH POINT:** Not flammable

---

## 6. ACCIDENTAL RELEASE MEASURES

---

### **OCCUPATIONAL RELEASE:**

Wear appropriate personal protective equipment recommended in Section 8 of the MSDS. Completely contain spilled material with dikes, sandbags, etc. Keep out of water supplies and sewers. Liquid material may be removed with a vacuum truck. Flush spill area with water, if appropriate. This material is alkaline and may raise the pH of surface waters with low buffering capacity. Releases should be reported, if required, to appropriate agencies. Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RQ (U.S. SARA Section 304). If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Center at (800)424-8802 (USA) or (202)426-2675 (USA).

---

## 7. HANDLING AND STORAGE

---

**STORAGE:** Store and handle in accordance with all current regulations and standards. Keep container tightly closed and properly labeled. Do not store in aluminum container or use aluminum fittings or transfer lines, as flammable hydrogen gas may be generated. Keep separated from incompatible substances (see Section 10 of the MSDS).

**HANDLING:** Avoid breathing vapor or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. When mixing, slowly add to water to minimize heat generation and spattering.

---

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

---

### **EXPOSURE LIMITS:**

**CAUSTIC POTASH LIQUID (ALL GRADES):**

**POTASSIUM HYDROXIDE:**

2 mg/m<sup>3</sup> ACGIH ceiling

**VENTILATION:** Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

**EYE PROTECTION:** Wear chemical safety goggles with a faceshield to protect against skin contact when appropriate. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**CLOTHING:** Wear chemical resistant clothing and rubber boots when potential for contact with the material exists. Always place pants legs over boots. Thoroughly clean and dry contaminated clothing before reuse. Discard contaminated leather goods.

**GLOVES:** Wear appropriate chemical resistant gloves.

**PROTECTIVE MATERIAL TYPES:** butyl rubber, natural rubber, nitrile, polyvinyl chloride (PVC), Tychem®

**RESPIRATOR:** Where dust or vapor concentration exceeds or is likely to exceed applicable exposure limits, a NIOSH approved respirator is required.

If eye irritation occurs, a full face style mask should be used.

Air-purifying respirators should be equipped with a minimum N-95 dust/mist filter (1/2 facepiece) and N-100 dust/mist filter (full facepiece).

When an air-purifying respirator is not adequate or during spills and/or emergencies of unknown concentrations, a NIOSH approved self-contained breathing apparatus or airline respirator with full-face piece is required.

A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

**PHYSICAL STATE:** liquid

**APPEARANCE:** clear

**COLOR:** colorless

**ODOR:** odorless

**BOILING POINT:** 216-289 F (102-143 C)

**FREEZING POINT:** -128 to 39 F (-89 to 4 C)

**VAPOR PRESSURE:** Not available

**VAPOR DENSITY:** Not available

**SPECIFIC GRAVITY (water=1):** 1.09-1.52 @ 15.6 C

**DENSITY:** 9.09-12.67 lbs/gal @ 15.6 C

**WATER SOLUBILITY:** 100%

**PH:** 12-14

**VOLATILITY:** Not available

**ODOR THRESHOLD:** Not available

**EVAPORATION RATE:** Not available

**COEFFICIENT OF WATER/OIL DISTRIBUTION:** Not available

---

## 10. STABILITY AND REACTIVITY

---

**REACTIVITY:** Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:** Mixing with water, acid or incompatible materials may cause splattering and release of large amounts of heat. Will react with some metals forming flammable hydrogen gas. Carbon monoxide gas may form upon contact with reducing sugars or food and beverage products in enclosed spaces.

**INCOMPATIBILITIES:** acids, halogenated compounds, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys

**HAZARDOUS DECOMPOSITION:**

Thermal decomposition products: None known.

**POLYMERIZATION:** Will not polymerize.

---

## 11. TOXICOLOGICAL INFORMATION

---

**CAUSTIC POTASH LIQUID (ALL GRADES):**

**TOXICITY DATA:** When in solution, this material will affect all tissues with which it comes in contact. The severity of the tissue damage is a function of concentration, the length of tissue contact time, and local tissue conditions. After exposure there may be a time delay before irritation and other effects occur. This material is a strong irritant and is corrosive to the skin, eyes, and mucous membranes. This material may cause severe burns and permanent damage to any tissue with which it comes into contact. Inhalation will cause severe irritation, possible burns with pulmonary edema, which may lead to pneumonitis. Skin contact with this material may cause severe irritation and corrosion of tissue. Eye contact can cause severe irritation, corrosion with possible corneal damage and blindness. Ingestion may cause irritation, corrosion/ulceration, nausea, and vomiting. In general, chronic effects are due to long-term irritation. This material may cause dermatitis on the skin, or recurrent corneal ulceration and visual disturbances. In rare cases reports have noted long-term inhalation causes bronchial inflammatory reaction or obstructive airway dysfunction.

**LOCAL EFFECTS:**

Corrosive: inhalation, skin, eye, ingestion

**TARGET ORGANS:** eyes, skin, respiratory system

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** respiratory system (including asthma and other breathing disorders)

---

## 12. ECOLOGICAL INFORMATION

---

**ECOTOXICITY DATA:**

**FISH TOXICITY:** This material has exhibited moderate toxicity to aquatic organisms. For potassium hydroxide: 80 mg/L 96 hours LC50 Mosquito fish; 165 mg/L 24 hours LC50 Guppy

**FATE AND TRANSPORT:**

**BIODEGRADATION:** This material is inorganic and not subject to biodegradation.

**PERSISTENCE:** This material is alkaline and may raise the pH of surface waters with low buffering capacity. This material is believed to exist in the disassociated state in the environment.

**BIOCONCENTRATION:** This material is believed not to bioaccumulate.

**OTHER ECOLOGICAL INFORMATION:** This material has exhibited slight toxicity to terrestrial organisms.

---

### 13. DISPOSAL CONSIDERATIONS

---

Reuse or reprocess if possible. Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D002.

---

### 14. TRANSPORT INFORMATION

---

**U.S. DOT 49 CFR 172.101:**

**PROPER SHIPPING NAME:** Potassium hydroxide, solution

**ID NUMBER:** UN1814

**HAZARD CLASS OR DIVISION:** 8

**PACKING GROUP:** II

**LABELING REQUIREMENTS:** 8

**DOT HAZARDOUS SUBSTANCE(S):**

Potassium hydroxide 1000 lb(s) (454 kg(s))

**CANADIAN TRANSPORTATION OF DANGEROUS GOODS:**

**SHIPPING NAME:** Potassium hydroxide, solution

**UN NUMBER:** UN1814

**CLASS:** 8

**PACKING GROUP/RISK GROUP:** II

---

### 15. REGULATORY INFORMATION

---

**U.S. REGULATIONS:**

**CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):**

**POTASSIUM HYDROXIDE:** 1000 LBS RQ

**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):** Not regulated.

**SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):**

ACUTE: Yes

CHRONIC: No

FIRE: No

REACTIVE: No

SUDDEN RELEASE: No

**SARA TITLE III SECTION 313 (40 CFR 372.65):** Not regulated.

**OSHA PROCESS SAFETY (29CFR1910.119):** Not regulated.

**FDA:** This material has Generally Recognized as Safe (GRAS) status under specific FDA regulations. Additional information is available from the Code of Federal Regulations (CFR) which is accessible on the FDA's website.

**STATE REGULATIONS:**

**California Proposition 65:** This product is not listed, but it may contain contaminants known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act. For additional information, contact Customer Service.

**NEW JERSEY WORKER AND COMMUNITY RIGHT TO KNOW:  
REPORTING REQUIREMENT:**

WATER 7732-18-5 49-90%

POTASSIUM HYDROXIDE 1310-58-3 10-51%

**RIGHT TO KNOW HAZARDOUS SUBSTANCE LIST:**

POTASSIUM HYDROXIDE 1310-58-3 10-51%

**SPECIAL HEALTH HAZARD SUBSTANCE LIST:**

POTASSIUM HYDROXIDE 1310-58-3 10-51%

**PENNSYLVANIA RIGHT TO KNOW:**

**REPORTING REQUIREMENT:**

WATER 7732-18-5 49-90%

POTASSIUM HYDROXIDE 1310-58-3 10-51%

**HAZARDOUS SUBSTANCE LIST:**

POTASSIUM HYDROXIDE 1310-58-3 10-51%

**ENVIRONMENTAL HAZARDOUS SUBSTANCE LIST:**

POTASSIUM HYDROXIDE 1310-58-3 10-51%

**SPECIAL HAZARDOUS SUBSTANCE LIST:**

Not regulated.

**CANADIAN REGULATIONS:**

**CONTROLLED PRODUCTS REGULATIONS (CPR):** This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

**WHMIS CLASSIFICATION:** E.

**NATIONAL INVENTORY STATUS:**

**U.S. INVENTORY (TSCA):** All the components of this substance are listed on or are exempt from the inventory.

**TSCA 12(b) EXPORT NOTIFICATION:** Not listed.

**CANADA INVENTORY (DSL/NDSL):** All components of this product are listed on the DSL.

---

## 16. OTHER INFORMATION

---

### **MSDS SUMMARY OF CHANGES**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION
2. HAZARDS IDENTIFICATION
3. COMPOSITION, INFORMATION ON INGREDIENTS
4. FIRST AID MEASURES
5. FIRE FIGHTING MEASURES
6. ACCIDENTAL RELEASE MEASURES
7. HANDLING AND STORAGE
8. EXPOSURE CONTROLS, PERSONAL PROTECTION
10. STABILITY AND REACTIVITY
11. TOXICOLOGICAL INFORMATION
12. ECOLOGICAL INFORMATION
15. REGULATORY INFORMATION

**IMPORTANT: The information presented herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SUITABILITY, STABILITY OR OTHERWISE. The information included herein is not intended to be all-inclusive as to the appropriate manner and/or conditions of use, handling and/or storage. Factors pertaining to certain conditions of storage, handling, or use of this product may involve other or additional safety or performance considerations. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. No suggestions for use are intended to, and nothing herein shall be construed as a recommendation to, infringe any existing patents or violate any laws, rules, regulations or ordinances of any governmental entity.**